



# Method for Determining the Generating Capacity of the Waste Heat Recovery System of Main Engines

Alexander Rak<sup>1</sup>, Victor Busher<sup>2</sup>, Oksana Glazeva<sup>2</sup>, Oleksii Chornyi<sup>3</sup>, Yurii Kachan<sup>4</sup>, and Vitaliy Kuznetsov<sup>5</sup>✉

<sup>1</sup> Donetsk National Technical University, 2, Shybankova Square, Pokrovsk 85300, Ukraine

<sup>2</sup> National University "Odessa Maritime Academy", 8, Didrikhsona Street, Odessa 65029, Ukraine

<sup>3</sup> Kremenchuk Mykhailo Ostrohradskyi National University, 20, Pershotravneva Street, Kremenchuk 39600, Ukraine

<sup>4</sup> Zaporizhzhia Polytechnic National University, 64, Zhukovsky Street, Zaporizhzhia 69063, Ukraine

<sup>5</sup> National Metallurgical Academy of Ukraine, Gagarina Avenue, 4, Dnipro, Ukraine  
witjane20002014@gmail.com

**Abstract.** A study of waste heat recovery systems for robust ship power systems (tens of MW) and installations of relatively low power (1...3 MW) of diesel locomotives has been carried out. A method for calculating the power of gas and steam turbines as part of the waste heat recovery systems has been developed. Based on simple calculations for two operating points, the method allows you to get the amount of the waste heat recovery system generated energy in other modes, different from those given in the instructions for technical operation. Preference for one or another type of turbine generator or their combination should be provided based on a feasibility study, taking into account capital investments and the power of energy consumers in the vehicle, as well as long-term prospects in fuel-saving and reducing greenhouse gas emissions. The waste heat recovery system's energy characteristics can be used to confirm the compliance of the main power plant with the requirements of the MARPOL 73/78 convention in terms of improving energy efficiency design index and reducing greenhouse gas emissions at loads of 50%, 75%, 100%.

**Keywords:** Waste heat recovery system · Main engine · Heat balance · Energy efficiency design index

## 1 Introduction

With the signing of the Kyoto Protocol in 1997, the regulation of greenhouse gas (GHG) emissions, including related economic activities, which was the exclusive prerogative of national governments, became the subject of international agreements. The Kyoto Protocol pioneered reducing GHG emissions to curb global warming by setting emission

## References

1. MARPOL. Book III, revised Appendix VI of MARPOL "Rules for the Prevention of Air Pollution from Ships". "CMRI" Publishing House (2012)
2. Control of greenhouse gas emissions from ships engaged in international trade/Fifteenth conference of the parties Cop 15 7 to 18 December 2009/Copenhagen, Denmark (2009). [https://unfccc.int/sites/default/files/imo\\_awg-lca\\_8\\_submission.pdf](https://unfccc.int/sites/default/files/imo_awg-lca_8_submission.pdf)
3. IMO Train the Trainer (TTT) Course on Energy Efficient Ship Operation. Module 2 - Ship Energy Efficiency Regulations and Related Guidelines. Printed and published by the International Maritime Organization, London, January 2016. <http://www.imo.org/en/OurWork/Environment/PollutionPrevention/AirPollution/Pages/IMO-Train-the-Trainer-Course.aspx>
4. Annex 8 Resolution MEPC.212(63) Adopted on 2 March 2012 / 2012 Guidelines on the method of calculation of the attained energy efficiency design index (EEDI) for new ships. <http://www.imo.org/en/KnowledgeCentre/IndexofIMOResolutions/Marine-Environment-Protection-Committee-%28MEPC%29/Documents/MEPC.212%2863%29.pdf>
5. 2014 Guidelines on the method of calculation of the attained energy efficiency design index (EEDI) for new ships, as amended (resolution mepc.245(66), as amended by resolutions MEPC.263(68) and MEPC.281(70)) /MEPC.1/Circ.866 30 January 2017. <http://www.imo.org/en/OurWork/Environment/PollutionPrevention/AirPollution/Documents/MEPC%201CIRC%20866%20%28E%29.pdf>
6. Waste Heat Recovery System (WHRS) for Reduction of Fuel Consumption, Emissions and EEDI. Available at: Waste Heat Recovery System (WHRS) ([mandieselturbo.com](http://mandieselturbo.com))
7. Kalikatzarakis, M., Frangopoulos, C.A.: Thermo-economic optimization of synthesis, design and operation of a marine organic Rankine cycle system. School of Naval Architecture and Marine Engineering, National Technical University of Athens, Zografou, Greece, vol. 231: 1, pp. 137–152, February 2017. <https://doi.org/10.1177/1475090215627179>
8. Soffiato, M., Frangopoulos, C.A., Manente, G., Rech, S., Lazzaretto, A.: Design optimization of ORC systems for waste heat recovery on board a LNG carrier. Energy Conversion Manage. **92**, 523–534 (2015). <https://doi.org/10.1016/j.enconman.2014.12.085>
9. Song, J., Song, Y., Gu, C.: Thermodynamic analysis and performance optimization of an Organic Rankine Cycle (ORC) waste heat recovery system for marine diesel engines. Energy **82**, 976–985 (2015). <https://doi.org/10.1016/j.energy.2015.01.108>
10. Ping, X., Yao, B., Zhang, H., Yang, F.: Thermodynamic, economic, and environmental analysis and multi-objective optimization of a dual loop organic rankine cycle for CNG engine waste heat recovery. Appl. Therm. Eng. **193**, 116980 (2021)
11. Sheludchenko, V.I., Kravtsov, V.V., Volkova, O.G.: Tehnicheskaya termodinamika: ucheb. posob. [The basics of fluid mechanics: A tutorial]. Sevastopol. Veber. ["Veber" Publishing House]. 2002. 326 p. (in Russian)
12. Dolz, V., Novella, R., García, A., Sánchez, J.: HD Diesel engine equipped with a bottoming Rankine cycle as a waste heat recovery system. Part 1: study and analysis of the waste heat energy. Appl. Thermal Eng. **36**, 269–278 (2012). <https://doi.org/10.1016/j.applthermaleng.2011.10.025>

13. Zhang, X., Wu, L., Wang, X., Ju, G.: Comparative study of waste heat steam SRC, ORC and S-ORC power generation systems in medium-low temperature. *Appl. Therm. Eng.* **106**, 1427–1439 (2016). <https://doi.org/10.1016/j.applthermaleng.2016.06.108>
14. Mahmoudi, M.F., Morad, M.R.: A recent review of waste heat recovery by Organic Rankine Cycle. *Appl. Thermal Eng.* **143**, pp. 660–675 (2018). <https://doi.org/10.1016/j.applthermaleng.2018.07.136>
15. Baldi, F., Gabrielli, C.: A feasibility analysis of waste heat recovery systems for marine applications. *Energy* **80**, 654–665 (2015)
16. Pounder's Marine Diesel Engines and gas Turbines. Eighth edition. Elsevier Butterworth-Heinemann Linacre House, Jordan Hill, Oxford OX2 8DP 200 Wheller Road, Burlington, VF 01803. [https://www.academia.edu/35393741/Pounders\\_Marine\\_Diesel\\_Engines\\_and\\_Gas\\_Turbines\\_Eighth\\_edition\\_i](https://www.academia.edu/35393741/Pounders_Marine_Diesel_Engines_and_Gas_Turbines_Eighth_edition_i)
17. MAN Energy Solution. [https://marine.man-es.com/applications/projectguides/2stroke/content/printed/S90ME-C9\\_2.pdf](https://marine.man-es.com/applications/projectguides/2stroke/content/printed/S90ME-C9_2.pdf)
18. Tehnico-ekonomicheskie harakterisyyki sudov morskogo flota. RD 31.01.011-90 [Technical and economic characteristics of the vessels ships] Moscow. Morteinformreklama. ["Morte-hinformreklama" Publishing House], 232 p. (1992). <http://gostrf.com/normadata/1/4293827/4293827275.pdf>
19. CEAS Engine Calculation MAN B&W. <https://www.man-es.com/marine/products/planning-tools-and-downloads/ceas-engine-calculations>. Accessed 15 Feb 21
20. Faizi, J., Umar, M.S.: A conceptual framework for software engineering education: project based learning approach integrated with industrial collaboration. *Int. J. Educ. Manage. Eng. (IJEME)* **11**(5), 46–53 (2021). <https://doi.org/10.5815/ijeme.2021.05.05>
21. Alvarez-Dionisi, L.E., Mittra, M., Balza, R.: Teaching artificial intelligence and robotics to undergraduate systems engineering students. *Int. J. Modern Educ. Comput. Sci. (IJMECS)* **11**(7), 54–63 (2019). <https://doi.org/10.5815/ijmeecs.2019.07.06>
22. Almeida, F.: Framework for software code reviews and inspections in a classroom environment. *Int. J. Modern Educ. Comput. Sci. (IJMECS)* **10**(10), 31–39 (2018). <https://doi.org/10.5815/ijmeecs.2018.10.04>